



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrmmc_bacsec@yahoo.com

Standard Form Number: SF-GOOD-30

Revised on: May 24, 2004

29 November 2021

BID BULLETIN

ADDENDUM NO. MS-CS-01 s. 2021

This Addendum No. MS-CS-01 s. 2021 is issued to clarify or amend items in the Bid Documents. The following were the changes in the Description to be bid made during the pre-bid conference for the procurement of Various Medical Supplies held last 23 November 2021. This shall form an integral part of the Bid Documents.

- ❖ PhilGEPS Certificate must be Platinum and valid during the opening of bids
- ❖ Must attach the "Class A Documents".
- ❖ Conditions set forth at the Mayor's permit should be COMPLIED by the company with attached proof of compliance.
- ❖ Tax Clearance must be updated during opening of bids
- ❖ Audited Financial Statement must have stamped "**RECEIVED**" by the BIR or **its duly accredited and authorized institutions (Electronically submitted AFS is acceptable as long as with acknowledgment receipt by the BIR)**
- ❖ Bidders shall submit Audited Financial Statement for the year 2019 & 2020.
- ❖ Bid Security must be addressed to **JOSE R. REYES MEMORIAL MEDICAL CENTER**
- ❖ Proper filling in the form of Good offered from Abroad / within the Philippines
 - **SECTION 32.2.1 of R.A 9184 Revised Implementing Rules and Regulation**

Completeness of the Bid. Unless the Instructions to Bidders specifically allow partial bids, bids not addressing or providing all of the required times in the Bidding Documents including, where applicable, bill of quantities, shall be considered as non-responsive, but specifying a "0" (ZERO) for the said item would mean that it is being offered for free to the Government

ACCEPTABLE

For Goods Offered From Abroad								
Name of Bidder [REDACTED]								Page 1 of 1
Invitation to Bid ² Number: <u>Procurement of Craniotomy and Spine Instruments</u> <u>ITB No. 2018 – Inst – 01</u>								
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)
1	Craniotomy and Spine Instruments Brand: Gesco	India	Three (3)	P 1,198,000.00	P 3,594,000.00	0	P 1,198,000.00	P 3,594,000.00 PESOS: Three Million Five Hundred Ninety Four Thousand Only



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrmmc_bacsec@yahoo.com

- ❖ Observe proper tabbing for the Bid Documents
- ❖ Certified True Copy Stamp may be in any color of ink but the signature must be **RED INK**.
- ❖ Folders and Envelopes must be colored **YELLOW**.
- ❖ Statements of Single Largest Completed Contract and Statement of On-Going private and government contracts are no longer needed to be notarized and no attachments required.
 - Bidders may submit at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least 25 % the percentage of the total ABC to be bid.
- ❖ **Brochure** Must be attached on the bidding documents that will be submitted by the bidders.
- ❖ At least two (2) Certificate for Good Performance from government or private hospitals **or LGU provided that the items are hospital supplies within the past two (2) years is needed**
- ❖ **SUBMISSION OF SAMPLES**
 - All lowest bidders shall submit samples within five (5) calendar days after the receipt of abstract of bids
 - At least three (3) pieces for Php.1,000.00 and below
 - One (1) piece for Php. 1,001.00 and above
 - Ensure proper labelling of samples: **Company/ Category/ Item no.**
 - Samples will be subjected to post-qualification evaluation of the TWG as to quality and compliance with the specifications
- ❖ **CERTIFICATE OF PRODUCT REGISTRATION - Must be attached to the "Technical Specifications" (if applicable)**
 - If CPR is for renewal. No application for renewal shall be accepted **unless** the prescribed renewal fee is paid. There shall be automatic renewal of the CPR when the following conditions are satisfied:
 - The application is filed before the expiration date of the registration
 - The prescribed renewal fee is paid upon filing of the application: and
 - A sworn statement indicating no change or variation whatsoever in the product is attached to the application.
 - Initial application for CPR is **not** acceptable
- ❖ Bidders shall attach the filled up Checklist of Requirements in their Eligibility Envelope per category.
- ❖ Each Bidder shall submit one (1) Mother Envelope containing two (2) envelopes. The first envelope shall contain one (1) original and two (2) photocopies of legal, technical and financial eligibility documents. The second envelope shall contain one (1) original and two (2) photocopies of financial components and the soft copy (PDF copy may be in CD or flash drive) of both legal, technical and financial eligibility documents and financial components.
- ❖ **BIDDING FEE**
 - Will be based on the "Total ABC" of the items to be bid per category.
 - The bidders must provide list of the items to be bid with computation per category to the BAC Secretariat upon purchasing of bidding documents.
 - This format shall be used:

Company:

Category:

Item no.	Description	Total ABC
1		
2		
3		

Grand Total: _____



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrmmc_bacsec@yahoo.com

❖ **PRICE VALIDITY** - For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation in accordance with Section 61 of R.A. 9184 and its IRR

❖ **DELIVERY SCHEME** - Staggered Delivery and will be based on the needs of the patients

❖ **Domestic Preference**

1. A Domestic Bidder can only claim preference after it has secured from the Competitiveness Bureau of the Department of Trade and Industry, a certification that the articles forming part of its bid are substantially composed of articles, materials or supplies grown, produced or manufactured in the Philippines. The Certification shall form part of the Financial Envelope of the bidder claiming preference.

2. When the LCB including taxes and customs duties, is a “foreign bid” as defines in C.A. No. 138, the award shall be made to the bidder who submitted the lowest “domestic bid”, provided that:

- a) The domestic bid is not more than **fifteen per centum (15%)** in excess of LCB. **(Section 3 [e] C.A. No. 138)**;
- b) The bidder who submitted the lowest domestic bid must pass the post-qualification; and
- c) The award to domestic bidder shall be at the amount of the lowest “foreign bid”

❖ **LIABILITY** - In the event the Procuring Entity terminates this Contract in whole or in part, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.

❖ **CATHETERS**

ITEM NO.	ITEM DESCRIPTION
32	Catheter, Peripherally Inserted Central line, 1.9F x 20 cm single lumen pediatric
33	Catheter, Peripherally Inserted Central line, 2.6F x 50 cm Dual lumen pediatric
34	Catheter, Peripherally Inserted Central line, 6F x 60 cm Triple lumen polyurethane material

❖ **COVID RESPONSE SUPPLIES**

ITEM NO.	ITEM DESCRIPTION
1	Alcohol, ethyl 95%, at least 20liters, <u>with random testing during the contract period.</u> Must present product testing certificate indicating that the product has passed the antimicrobial testing of 8 microorganisms <ul style="list-style-type: none"> • <u>Acinetobacter baumannii</u> • <u>Candida albicans</u> • <u>Escherichia coli</u> • <u>Klebsiella pneumoniae</u> • <u>Methicillin-resistant Staphylococcus aureus</u> • <u>Micrococcus luteus (may use Bacillus subtilis if not available)</u> • <u>Pseudomonas aeruginosa</u> • <u>Mycobacterium TB</u>
2	Alcohol, Ethyl, 68-72%, scented, at least 3.785 liters, <u>with random testing during the contract period.</u> Must present product testing certificate indicating that the product has passed the antimicrobial testing of 8 microorganisms



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrrmmc_bacsec@yahoo.com

	<ul style="list-style-type: none"> • <u>Acinetobacter baumannii</u> • <u>Candida albicans</u> • <u>Escherichia coli</u> • <u>Klebsiella pneumoniae</u> • <u>Methicillin-resistant Staphylococcus aureus</u> • <u>Micrococcus luteus (may use Bacillus subtilis if not available)</u> • <u>Pseudomonas aeruginosa</u> • <u>Mycobacterium TB</u>
3	<p>Alcohol, Isopropyl 70% solution, disinfectant, antiseptic with moisturizer, <u>with random testing during the contract period.</u> Must present product testing certificate indicating that the product has passed the antimicrobial testing of 8 microorganisms (at least 20liters)</p> <ul style="list-style-type: none"> • <u>Acinetobacter baumannii</u> • <u>Candida albicans</u> • <u>Escherichia coli</u> • <u>Klebsiella pneumoniae</u> • <u>Methicillin-resistant Staphylococcus aureus</u> • <u>Micrococcus luteus (may use Bacillus subtilis if not available)</u> • <u>Pseudomonas aeruginosa</u> • <u>Mycobacterium TB</u>
4	<p>Alcohol, Isopropyl, 70 % at least 3.785 liters, <u>with random testing during the contract period.</u> Must present product testing certificate indicating that the product has passed the antimicrobial testing of 8 microorganisms</p> <ul style="list-style-type: none"> • <u>Acinetobacter baumannii</u> • <u>Candida albicans</u> • <u>Escherichia coli</u> • <u>Klebsiella pneumoniae</u> • <u>Methicillin-resistant Staphylococcus aureus</u> • <u>Micrococcus luteus (may use Bacillus subtilis if not available)</u> • <u>Pseudomonas aeruginosa</u> • <u>Mycobacterium TB</u>
13	<p>Disposable towelette, intermediate level-disinfectant, non-woven, <u>(160-200 pulls/sheets) pre-saturated in diisobutylphenoxethoxyethyl dimethyl benzyl ammonium chloride (0.28%) isopropanol (17.2%), with random testing during the contract period.</u> Must present product testing certificate indicating that the product has passed the antimicrobial testing of 8 microorganisms</p> <ul style="list-style-type: none"> • <u>Acinetobacter baumannii</u> • <u>Candida albicans</u> • <u>Escherichia coli</u> • <u>Klebsiella pneumoniae</u> • <u>Methicillin-resistant Staphylococcus aureus</u> • <u>Micrococcus luteus (may use Bacillus subtilis if not available)</u> • <u>Pseudomonas aeruginosa</u> • <u>Mycobacterium TB</u>
14	<p>Face shield must cover the entire face, garterized, with clear vision upon use, disposable, <u>intended</u> for use in healthcare facilities/settings.</p>
15	<p>Goggles, appropriately fitted, anti-fog coating must fit snugly particularly from the corners of the eyes across the brow, better in direct airflow properties to reduce fogging as well as better peripheral vision <u>with indirect ventilation.</u> Indirectly vented or not are preferred for infection control. Can fit comfortably over corrective eye glasses without disturbing their alignment.</p>



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrrmmc_bacsec@yahoo.com

17	Gown, impermeable, lightweight, at least 3-layer fabric or its equivalent , tie-waist, elastic wrist cuff, surgical, sterile, single pack
18	Isolation suit, disposable, protective clothing, coverall with hood and ankle openings, particle resistant, splash resistant, intended for use in healthcare facilities/settings, 176-182cm, LARGE SIZE
19	Isolation suit, disposable, protective clothing, coverall with hood and ankle openings, particle resistant, splash resistant, intended for use in healthcare facilities/settings, 170-176cm, MEDIUM SIZE,
20	Isolation suit, disposable, protective clothing, coverall with hood and ankle openings, particle resistant, splash resistant, intended for use in healthcare facilities/settings, 162-170cm, SMALL SIZE,
21	Isolation suit, disposable, protective clothing, coverall with hood and ankle openings, particle resistant, splash resistant, intended for use in healthcare facilities/settings, 182-188cm, X-LARGE SIZE
22	Isolation suit, disposable, protective clothing, coverall with hood and ankle openings, particle resistant, splash resistant, intended for use in healthcare facilities/settings, 188-194cm, XX-LARGE SIZE
23	KN95 Mask, Medical Grade
24	Mask particulate filter, fluid resistant, 4 layer construction, soft inner lining, straps are not easily to snap/detach/ break off, respirator for healthcare setting, must passed qualitative testing, certified and approved by NIOSH/FFP2 or its equivalent (Small/ Regular or medium / large SIZE or fits all), with size marking, must provide fit testing machine & solution will conduct random evaluation and qualitative fit testing during the contract period. Winning bidder must conduct fit testing to at least 1,000 employees with provision of fit testing machine & solution.
25	Mask, impermeable, disposable, surgical ear loop, intended for use in healthcare facilities/settings, 50's/box

❖ **MISCELLANEOUS SUPPLIES**

ITEM NO.	ITEM DESCRIPTION
30	Dressing for IV, pedia at least 4.3 5 cm x 4.5 5.7 cm transparent film adhesive and water-proof
31	Dressing, wound hydrocellular foam, non adhesive , 10 x 10cm or its equivalent size
32	Dressing, wound hydrocellular foam, non adhesive, 10 x 10 20cm or its equivalent size
33	Dressing, wound hydrocolloid: 10" x 10" extra thin or its equivalent size
34	Dressing, wound hydrocolloid: 4" x 4" extra thin or its equivalent size
35	Dressing, wound hydrocolloid: 4" x 4" thick or its equivalent size
36	Dressing, wound hydrocolloid: 8" x 8" extra thin or its equivalent size
37	Dressing, wound hydrocolloid: 8" x 8" thick or its equivalent size
38	Dressing, wound Hydrofiber with ionic silver 10" x 10" or its equivalent size
39	Dressing, wound Hydrofiber with ionic silver 4" x 4" or its equivalent size
40	Dressing, wound Hydrofiber with ionic silver 6" x 6" or its equivalent size
41	Dressing, wound hydrofiber, 4" x 4", or its equivalent size
42	Dressing, wound hydrofiber, 6" x 6", or its equivalent size
43	Dressing, wound Hydrofiber, foam dressing 4" x 4", or its equivalent size
44	Dressing, wound nanocrystalline silver, 10 x 10 cm or its equivalent size



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrrmmc_bacsec@yahoo.com

45	Dressing, wound nanocrystalline silver, 10 x 20 cm <u>or its equivalent size</u>
46	Dressing, wound transparent film, 10 x 12 cm <u>or its equivalent size</u>
47	Dressing, wound transparent film, 10 x 25cm <u>or its equivalent size</u>
48	Dressing, wound tulle grass dressing 10 x 10cm <u>or its equivalent size</u>
49	Dressing, wound with absorbent pad, 10 cm x 20 cm <u>or its equivalent size</u>
50	Dressing, wound with absorbent pad, 10 cm x 25 cm <u>or its equivalent size</u>
51	Dressing, wound with absorbent pad, 5 cm x 7.2 cm <u>or its equivalent size</u>
52	Dressing, wound with absorbent pad, 8 cm x 10 cm <u>or its equivalent size</u>
53	Dressing, wound with absorbent pad, 8 cm x 12 cm <u>or its equivalent size</u>
54	Dressing, wound with absorbent pad, 8 cm x 15 cm <u>or its equivalent size</u>
55	Dressing, cadexomer Iodine powder 3 grams
65	Gauze, plain, 36"x100 yards, 20x24 mesh/regular width (smooth fiber) continuous roll, single fold
70	Incentive Spirometer, volume measurement up to 2500 mL, compact, ergonomic design, with indicator, built-in handle; disposable, single use only (add qty- pulmo)
78	Mucus trap / extractor / collector , soft and kink resistant PVC tubing clear, transparent container, individual pack, 25- 40 ml trap size color with suction catheter
96	Pouch, Gusseted 70GSM 8 in. x 2 in. 328 to 330ft/roll <u>or its equivalent size</u>
97	Pouch, Gusseted 70GSM, 10 in. x 2.5 in. 328 to 330ft/roll <u>or its equivalent size</u>
98	Pouch, Gusseted 70GSM, 12 in. x 3.5 in. 328 to 330ft/roll <u>or its equivalent size</u>
99	Pouch, Gusseted 70GSM, 6 in. x 2 in. 328 to 330ft/roll <u>or its equivalent size</u>
110	Swabs, alcohol individually packed with effective antibacterial agent, (isoprop h yl 70%)
122	Tag, Hospital Safety Wrist Tag, light pink, paper/vinyl, pre-printed, (RESTRICTED EXTREMITY - black print), waterproof, non tear a bale, with lock, with size at least 1.5 cm W X 33 cm L

❖ **PHARMACEUTICAL SUPPLIES**

ITEM NO.	ITEM DESCRIPTION
1	Catheter, I.V., G-16, FEP Cannula Material, <u>must have thin, soft, very small and flexible plastic tube. Smooth and easy to insert/ cannulate through the skin and into the veins.</u> Universal back cut bevel, double flashback chamber embedded radiopaque lines
2	Catheter, I.V., G-18, FEP Cannula Material, <u>must have thin, soft, very small and flexible plastic tube. Smooth and easy to insert/ cannulate through the skin and into the veins.</u> Universal back cut bevel, double flashback chamber embedded radiopaque lines
3	Catheter, I.V., G-20, FEP Cannula Material, <u>must have thin, soft, very small and flexible plastic tube. Smooth and easy to insert/ cannulate through the skin and into the veins.</u> Universal back cut bevel, double flashback chamber embedded radiopaque lines
4	Catheter, I.V., G-22, FEP Cannula Material, <u>must have thin, soft, very small and flexible plastic tube. Smooth and easy to insert/ cannulate through the skin and into the veins.</u> Universal back cut bevel, double flashback chamber embedded radiopaque lines



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrrmmc_bacsec@yahoo.com

5	Catheter, I.V., G-24, FEP Cannula Material, must have thin, soft, very small and flexible plastic tube. Smooth and easy to insert/ cannulate through the skin and into the veins. Universal back cut bevel, double flashback chamber embedded radiopaque lines
6	Catheter, I.V., G-26, FEP Cannula Material, must have thin, soft, very small and flexible plastic tube. Smooth and easy to insert/ cannulate through the skin and into the veins. Universal back cut bevel, double flashback chamber embedded radiopaque lines

❖ **SUTURES**

ITEM NO.	ITEM DESCRIPTION
2	Suture, Chromic 3-0, Round, 36mm, 70cm ½ c
3	Suture, Chromic 4-0, Round, 36mm, 70cm ½ c
6	Suture, Nylon 10-0, cutting spatulated, double-armed, 0.15-0.2mm, 30cm length
7	Suture, Nylon 2-0, cutting, 3.0met, 19mm
8	Suture, Nylon 3-0, cutting, 2.0met, 24mm, FS-1
9	Suture, Nylon 4-0, cutting, 19mm, 3/8c
10	Suture, Nylon 5-0, cutting, 16mm, 3/8c
11	Suture, Nylon 6-0, cutting, 13mm, 3/8c
12	Suture, Nylon 9-0, cutting, 5.6mm 1/2c
14	Suture, Poliglecaprone 25, 5-0 reverse or premium cutting, 13mm, 3/8c
20	Suture, Polydioxanone 4-0 , round-bodied-1, 17mm, 1/2c
21	Suture, Polydioxanone 5-0 , round-bodied-1, 16mm, 1/2c
29	Suture, Polyglactin 0, 70-100 cm, 36-37mm , round
31	Suture, Polyglactin 3-0, at least 70- 90 cm, 1/2c, 20-26mm, round needle
36	Suture, Polyglactin 7-0, doubled -armed double spatulated, 30-45cm , 1/2c
38	Suture, Polyglycolic acid/ polyglactin 6-0, double armed, double spatulated, coated 6.5mm, 30cm, 3/8c
39	Suture, Polyglycolic acid / polyglactin 7-0, absorbable , double armed, double spatulated coated 7.6mm, 45cm, 1/4c
47	Suture, Polypropylene, 2-0, round, at least 75cm or equivalent, 30- 31 mm, 1/2c
48	Suture, Polypropylene, 4-0, round, at least 75 cm or equivalent, 16-22 mm, 1/2c
49	Suture, Polypropylene, 5-0, taper, double-arm, spatulated taper point , 75cm, 30" 13 mm, 1/2c
52	Suture, Polypropylene, non-absorbable, synthetic, 5-0, 16mm, 3/8c
53	Suture, Polypropylene, non-absorbable, synthetic, 6-0, 13mm, 3/8c
54	Suture, polyester, greenbraided 5-0, spatulated, double-armed, non-absorbable 0.33mm, 76cm, 1/4c
57	Suture, Silk 2-0, cutting, 3.0met, at least 75cm, 30" 3/8c, 24mm
58	Suture, Silk 2-0, round, 2.0 met, at least 75cm, 30" taper, 26mm, 1/2c
60	Suture, Silk 3-0, cutting, 3.0met, at least 75cm, 30" 3/8c, 24mm
61	Suture, Silk 3-0, round, 2.0 met, at least 75cm, 30" taper, 26mm, 1/2c
66	Suture, Poliglecaprone 25, 6-0 reverse or premium cutting, 13mm, 3/8c



Republic of the Philippines
Department of Health
JOSE R. REYES MEMORIAL MEDICAL CENTER
BIDS AND AWARDS COMMITTEE

DL: 8562-5338/ 8711-9491 loc. 245

jrmmc_bacsec@yahoo.com

❖ **SUBMISSION & OPENING OF BIDS:**

- Deadline for the Submission of Bid Documents will be on **07 December 2021, 9:30am**, at BAC Secretariat office, Ground Floor, JRRMMC, Main Bldg., Rizal Ave., Sta. Cruz, Manila. Bidders may submit their Bid Documents earlier than the deadline.
- Opening of bids will be conducted via Zoom Video Conference on **07 December 2021, 10am**. Invitation Link / Meeting ID shall be provided upon purchase of Bid Documents.
- **LATE BIDS WILL NO LONGER BE RECEIVED**

Note:

- *All the underlined words were the amendments.*
- *Words that are Strikethrough and colored red are deleted*

(original signed)
MELITO ANTONIO P. RAMOS, MD, FPOA
Chairman, HBAC A-1

Received by the Bidder:

(Signature Over Printed Name)

Date:_____