



**JOSE R. REYES MEMORIAL MEDICAL CENTER**  
 Rizal Avenue, Sta. Cruz, Manila  
**BAC SECRETARIAT**

**ANNUAL PROCUREMENT PLAN**  
**Procuring Entity / Units: JOSE R. REYES MEMORIAL MEDICAL CENTER**  
**Calendar Year: 2016**

| Type of Contract to be Employed   | Extent / Size of Contract Scope / Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |      |      |      |      |      |      |      |      |      |      |      | Estimated Budget for the Contract |      |              |
|---|--|------------|------|--------------------|---------------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------------|------|--------------|
|   |  |            |      |                    | J             | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |                                   |      |              |
| <b>LABORATORY REAGENTS UNDER MACHINE TIE-UP</b><br><br><b>Arterial Blood, Gas:</b> <ul style="list-style-type: none"> <li>Blood gas analyzer (pCO<sub>2</sub>, pH, pO<sub>2</sub>)</li> <li>With stable operating temperature (room temperature)</li> <li>Uptime rate of 95% or 28.5 days functional.</li> <li>Fully automated with computer interface and printer</li> <li>220 volts w/auto voltage regulator &amp; UPS that can support 2hrs of power supply in case of blackout.</li> <li>Digital display for results.</li> <li>With clot detector and automatic calibration.</li> <li>Visible and audible automatic alarm in case of flaggings of abnormal results.</li> </ul> Can give result within one to two minutes. <ul style="list-style-type: none"> <li>LIS (Lab. Information System) ready, preferably compatible with BIZBOX</li> </ul> <b>STANDARD HOST COMPUTER SPECIFICATIONS:</b><br>Processor: Intel Core Duo E7500 2.93GHz or (2.8GHz) or Intel Pentium 4 3.0GHz or Intel Core i3-2120, 3240 | 15,000                                     | 90.00      | Test | Public Bidding     | 1250          | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250                              | 1250 | 1,350,000.00 |

| No. | Type of Contract to be Employed   | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|-----|---|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|     |   |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|     | <p>*with 9pin-male communication serial port for machine connection and 25pin-female serial port for printer.</p> <p>Harddrive: 80GB to 250GB.</p> <p>Memory: 4GB or higher</p> <p>Keyboard: Standard USB</p> <p>Mouse: Optical USB</p> <p>Casing: Tower ATX or mini tower, with power supply.</p> <p>Monitor: 15.6" LCD/LED monitor</p> <p>Operating System: Windows XP/ Windows 7/ Windows 8</p> <p>APC UPS 500va. can support 2hrs of power supply in case of blackout.</p> <p>Must be able to provide the following: Patient Master Index Management, Order Entry, Decision-Support Technology, One Screen Data Management, Manual Result Entry, Professional Patient Reports, Flexible Result Enquiry, Management Reports, Quality Control, Rule Engine for result validation and order entry, with Real-Time Work Status Report, Turn-Around-Time Analysis Report.</p> <p><b>OTHER REQUIREMENTS</b></p> <ul style="list-style-type: none"> <li>• 24hr support service and repair, including long weekends and holidays</li> <li>• With free supply &amp; controls, calibrators, consumables and other supplies needed to operate machine and generate results</li> <li>• Must be five (5) years and below in the market</li> <li>• With good track record</li> <li>• Must provide monthly preventive maintenance service for free</li> <li>• Reagents must have at least three (3) months expiry date.</li> </ul> |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |

4



| No. | Type of Contract to be Employed   | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |              | Estimated Budget for the Contract |
|-----|---|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|--------------|-----------------------------------|
|     |   |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D            |                                   |
|     |   |  |            |      |                    | TOTAL:        |   |   |   |   |   |   |   |   |   |   |              |                                   |
|     | <ul style="list-style-type: none"> <li>• Floor type</li> <li>• Fully automated and user friendly with barcode reader</li> <li>• Can perform a minimum of 800 tests per hour</li> <li>• With optional ISE</li> <li>• Can analyse serum, plasma, urine, CFS &amp; hemolysate</li> <li>• Can use primary or secondary tubes on sample disk</li> <li>• With STAT capability</li> <li>• With interface for modern and remote diagnostic access and printer</li> <li>• Electrical requirements of 220-240 volts</li> <li>• Free provision of water system</li> <li>• With automatic sample pre-dilution</li> <li>• With continuous loading and unloading of samples</li> <li>• With UPS that can support 2 hours of power supply in case of blackout</li> <li>• With visible and audible alarms with visible alarm in case of flaggings of abnormal results.               <ul style="list-style-type: none"> <li>• LIS (Lab. Information System) ready, preferably compatible with BIZBOX</li> </ul> </li> <li>• Uptime rate of 95% or 28.5 days functional.</li> <li>• Can give result within 5 minutes/test</li> </ul> <p><b>STANDARD HOST COMPUTER SPECIFICATIONS:</b><br/>           Processor: Intel Core Duo E7500 2.93GHz or (2.8GHz) or Intel Pentium 4 3.0GHz or Intel Core i3-2120, 3240<br/>           *with 9pin-male communication serial port for machine connection and 25pin-female serial port for printer.<br/>           Harddrive: 250GB or higher.<br/>           Memory: 4GB or higher</p> |  |            |      |                    |               |   |   |   |   |   |   |   |   |   |   | 4,093,000.00 |                                   |

| No. | Type of Contract to be Employed   | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|-----|---|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|     |   |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|     | <p>Keyboard: Standard USB<br/> Mouse: Optical USB<br/> Casing: Tower ATX or mini tower, with power supply.<br/> Monitor: 15.6" LCD/LED monitor<br/> Operating System: Windows XP/ Windows 7/ Windows 8<br/> APC UPS 500va, can support 2hrs of power supply in case of blackout.</p> <p>Must be able to provide the following: Patient Master Index Management, Order Entry, Decision-Support Technology, One Screen Data Management, Manual Result Entry, Professional Patient Reports, Flexible Result Inquiry, Management Reports, Quality Control, Rule Engine for result validation and order entry, with Real-Time Work Status Report, Turn-Around-Time Analysis Report.</p> <p><b>OTHER REQUIREMENTS:</b></p> <ul style="list-style-type: none"> <li>• With provision of a working table, centrifuge apparatus (loan)</li> <li>• 24hr support service in case of machine breakdown</li> <li>• Continuous supply of reagents and consumables to avoid disruption of service</li> <li>• Waste disposal unit connected to a drain must comply hospital requirements for review specific requirements</li> <li>• Provision of free consumables, calibrators, and other supplies and reagents needed to operate the machine and generate results</li> <li>• Model of machine must be five (5) years and below in the market and with installation within Metro Manila</li> <li>• With good performance</li> <li>• Must provide monthly preventive maintenance service for free.</li> <li>• Reagents must have at least twelve (12) months expiry date.</li> </ul> |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |

| No. | Type of Contract to be Employed   | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |      |      |      |      |      |      |      |      |      |      |      | Estimated Budget for the Contract |      |              |
|-----|---|--|------------|------|--------------------|---------------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------------|------|--------------|
|     |   |  |            |      |                    | J             | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |                                   |      |              |
| 3   | <p>Electrolyte (Na, K, Cl):</p> <ul style="list-style-type: none"> <li>Fully automated to enter desired examinations</li> <li>Fast results (1 minute)</li> <li>Calibration of controls with accuracy and reliability</li> <li>Uptime rate of 95% or 28.5 days functional.</li> <li>Specimen serum</li> <li>With provision of water system</li> <li>Waste disposal unit connected to a drain</li> </ul>  | 30,000                                   | 76.00      | Test | Public Bidding     | 2500          | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500                              | 2500 | 2,280,000.00 |
|     | <p>Reagents with shelf life of less than one year: a) Must submit certificate from the manufacturers indicating the shelf life of the reagent. b) Must submit certificate of replacement in case the reagent is not consumed before its expiry date.</p> <p>Fully automated, cap piercing, maximizes productivity and reduces biohazard handling. Capillary electrophoresis technology</p> <ul style="list-style-type: none"> <li>Through put at least 30 samples/hour</li> <li>Large, walk-away capacity with continuous loading</li> <li>HBALC calculation according to IFCC recommendations</li> <li>LIS (Lab. Information System) ready, preferably compatible with BIZBOX</li> <li>Reagents must have at least 12 months expiry date. If less than 12 months must submit the following a. certificate from the manufacturer indicating the shelf life of the reagents b. certificate of replacement in case the reagent is not consumed before its expiry date.</li> </ul> <p>w/ provision of 2 HP window type air conditioning unit</p> |  |            |      |                    |               |      |      |      |      |      |      |      |      |      |      |      |                                   |      |              |

| No. | Type of Contract to be Employed  | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|-----|--|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|     |  |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|     | <ul style="list-style-type: none"> <li>• 24-hour support service in case of machine breakdown</li> <li>• 220-240 volts</li> <li>• With AVR and UPS with 2 hrs. support power system</li> <li>• LIS (Lab. Information System) ready, preferably compatible with BIZBOX</li> </ul> <p><b>STANDARD HOST COMPUTER SPECIFICATIONS:</b><br/> Processor: Intel Core Duo E7500 2.93GHz or (2.8GHz) or Intel Pentium 4 3.0GHz or Intel Core i3-2120, 3240<br/> *with 9pin-male communication serial port for machine connection and 25pin-female serial port for printer.<br/> Harddrive: 80 to 250GB<br/> Memory: 4GB or higher<br/> Keyboard: Standard USB<br/> Mouse: Optical USB<br/> Casing: Tower ATX or mini tower, with power supply.<br/> Monitor: 15.6" LCD/LED monitor<br/> Operating System: Windows XP/ Windows 7/ Windows 8<br/> APC UPS 500va. can support 2hrs of power supply in case of blackout.</p> <p>Must be able to provide the following: Patient Master Index Management, Order Entry, Decision-Support Technology, One Screen Data Management, Manual Result Entry, Professional Patient Reports, Flexible Result Enquiry, Management Reports, Quality Control, Rule Engine for result validation and order entry, with Real-Time Work Status Report, Turn-Around-Time Analysis Report.</p> <p><b>OTHER REQUIREMENTS:</b></p> |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |





| No.      | Type of Contract to be Employed  | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |      |      |      |      |      |      |      |      |      |      |      | Estimated Budget for the Contract |      |              |              |
|----------|--|--|------------|------|--------------------|---------------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------------|------|--------------|--------------|
|          |  |  |            |      |                    | J             | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |                                   |      |              |              |
|          | 24 hr support service in case of machine breakdown<br><br>Continuous supply of reagents and consumables to avoid disruption of service<br>With installation of machine within Metro Manila<br>Model of machine must not be five (5) years and below in the market.<br>With good performance<br>Must provide monthly preventive service and calibration<br><br>Must have certificate of product registration from BFAD and must be ISO certified.<br>Reagents must have at least twelve (12) months expiry date.<br><br>Reagents with shelf life of less than one year:<br>a) Must submit certificate from the manufacturers indicating the shelf life of the reagent. b) Must submit certificate of replacement in case the reagent is not consumed before its expiry date.<br><br>With random access. |  |            |      |                    |               |      |      |      |      |      |      |      |      |      |      |      |                                   |      |              |              |
| <b>5</b> | <b>Immunology:</b>   |  |            |      |                    |               |      |      |      |      |      |      |      |      |      |      |      |                                   |      |              |              |
|          | HBsAg  | 12,000                                   | 90.00      | Test | Public Bidding     | 1000          | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000                              | 1000 | 1,080,000.00 |              |
|          | HIV 1 and 2  | 9,700                                    | 112.00     | Test | Public Bidding     | 812           | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808                               | 808  | 1,086,400.00 |              |
|          | HCV  | 9,700                                    | 312.00     | Test | Public Bidding     | 812           | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808                               | 808  | 3,026,400.00 |              |
|          | Treponema Pallidum, test for syphilis, 960 tests/kit, Immunoassay  | 9,700                                    | 78.00      | Test | Public Bidding     | 812           | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808  | 808                               | 808  | 756,600.00   |              |
|          | <ul style="list-style-type: none"> <li>Serology (HIV, Hepa B, Hepa C, Treponema Pallidum) analyzer</li> <li>Fully automated machine</li> <li>With barcode reader</li> </ul>  |  |            |      |                    |               |      |      |      |      |      |      |      |      |      |      |      |                                   |      |              | 5,949,400.00 |



| No. | Type of Contract to be Employed   | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|-----|---|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|     |   |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|     | <p>APC UPS 500va. can support 2hrs of power supply in case of blackout.</p> <p>Must be able to provide the following: Patient Master Index Management, Order Entry, Decision-Support Technology, One Screen Data Management, Manual Result Entry, Professional Patient Reports, Flexible Result Enquiry, Management Reports, Quality Control, Rule Engine for result validation and order entry, with Real-Time Work Status Report, Turn-Around-Time Analysis Report.</p> <p><b>OTHER REQUIREMENTS:</b></p> <ul style="list-style-type: none"> <li>• With the provision of free consumables, calibrators, controls, reagents and other supplies (such as distilled water) needed to operate the machine and generate results</li> <li>• Can provide data management system result, census purposes, storage of data, work list and quality control</li> <li>• Model of machine must be five(5) years and below in the market, and with installation within Metro Manila so that there will be a peer group for NEQAS evaluation.</li> <li>• With good performance record</li> <li>• Must provide preventive maintenance service for free</li> <li>• Sensitivity and specificity levels of all assays used for blood screening shall be as high as possible and preferably not less than 99.5% HCV</li> <li>• With CPR from FDA and proof of kit evaluation from SACCL</li> <li>• Reagents must have at least twelve (12) months expiry date.</li> </ul> |  |            |      |                    |               |   |   |   |   |   |   |   |   |   |   |   |                                   |

| No. | Type of Contract to be Employed  | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |      |      |      |      |      |      |      |      |      |      |      | Estimated Budget for the Contract |              |
|-----|--|--|------------|------|--------------------|---------------|------|------|------|------|------|------|------|------|------|------|------|-----------------------------------|--------------|
|     |  |  |            |      |                    | J             | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |                                   |              |
|     | <p>Reagents with shelf life of less than one year: a) Must submit certificate from the manufacturers indicating the shelf life of the reagent. b) Must submit certificate of replacement in case the reagent is not consumed before its expiry date.</p>   |  |            |      |                    |               |      |      |      |      |      |      |      |      |      |      |      |                                   |              |
|     | <p><b>Hematology (CBC)</b></p> <ul style="list-style-type: none"> <li>• Hematology Analyzer</li> <li>• Fully automated machine</li> <li>• With barcode reader.</li> <li>• With 5 part differential count for WBC</li> <li>• Audible and visible alarms for abnormal results.</li> <li>• With computer interface and printer</li> <li>• Provided with auto sampler adjusted to semi-automated/manual operation</li> <li>• Heavy duty machine</li> <li>• Can operate 24-hours a day</li> <li>• 220 volts</li> <li>• With AVR and UPS with 2 hrs. support system.</li> <li>• With provision for a suitable working table.</li> <li>• Can run at least 250 samples per day,</li> <li>• Can give results within 10 minutes.</li> <li>• Provision of machine orientation/demonstration and training for free.</li> <li>• Provided with data management system results, census, storage of data, work list and quality control.</li> <li>• With back-up machine (having at least 3 part differential count for WBC).</li> <li>• Capable of reading all kinds of body fluids such as CSF.</li> </ul> | 56,000                                   | 58.00      | Test | Public Bidding     | 4674          | 4666 | 4666 | 4666 | 4666 | 4666 | 4666 | 4666 | 4666 | 4666 | 4666 | 4666 | 4666                              | 3,248,000.00 |
|     | <ul style="list-style-type: none"> <li>• Uptime rate of 95% or 28.5 days functional.</li> </ul>  |  |            |      |                    |               |      |      |      |      |      |      |      |      |      |      |      |                                   |              |

| No. | Type of Contract to be Employed  | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|-----|--|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|     |  |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|     | <b>STANDARD HOST COMPUTER</b><br><b>SPECIFICATIONS:</b><br>Processor: Intel Core Duo E7500 2.93GHz or (2.8GHz) or Intel Pentium 4 3.0GHz or Intel Core i3-2120, 3240<br>*with 9pin-male communication serial port for machine connection and 25pin-female serial port for printer.<br>Harddrive: 80 to 250GB<br>Memory: 4GB or higher<br>Keyboard: Standard USB<br>Mouse: Optical USB<br>Casing: Tower ATX or mini tower, with power supply.<br>Monitor: 15.6" LCD/LED monitor<br>Operating System: Windows XP/ Windows 7/ Windows 8<br>APC UPS 500va. can support 2hrs of power supply in case of blackout.<br>Must be able to provide the following: Patient Master Index Management, Order Entry, Decision-Support Technology, One Screen Data Management, Manual Result Entry, Professional Patient Reports, Flexible Result Enquiry, Management Reports, Quality Control, Rule Engine for result validation and order entry, with Real-Time Work Status Report, Turn-Around-Time Analysis Report.<br><b>OTHER REQUIREMENTS:</b> <ul style="list-style-type: none"> <li>• Provide reagent consumption estimation per sample including controls for tests and quality control purposes</li> <li>• Free supply of calibrators, consumables, and other supplies and reagents needed to operate the machine and generate results,</li> <li>• Replace near-expiry reagents if such case arise,</li> </ul> |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |



| No. | Type of Contract to be Employed   | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|-----|---|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|     |   |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|     | <ul style="list-style-type: none"> <li>• With AVR and UPS with 2 hrs. support power system.</li> <li>• Can run at least 120 samples a day</li> <li>• Uptime rate of 95% or 28.5 days functional.</li> </ul> <b>STANDARD HOST COMPUTER SPECIFICATIONS:</b> (same with Hematology CBC) except for the following:<br>Processor: Intel Celeron M 1GHz<br>Memory: 512 Mb minimum<br>Hard Disk 80 to 250 GB<br>Screen: Touch LCD Colour Screen 22"<br>Keyboard Alphanumeric Qwerty or Azerty type<br>Barcode reader: Integrated<br>Connection: Ethernet 10/100MBS<br>L.S: Mono or Bidirectional<br>Operating Temperature 15-32 degrees centigrade<br><b>OTHER REQUIREMENTS:</b> <ul style="list-style-type: none"> <li>• Provision of sturdy table for the machine that will suit the laboratory area</li> <li>• Provide machine orientation/demonstration and if possible training</li> <li>• Provide data management system for the results, census purposes, storage of data, work list and quality control</li> <li>• With back-up machine</li> <li>• Calibrate machine at least every month or as needed</li> <li>• Provide reagent consumption estimation per sample including controls for tests and quality control purposes</li> </ul> |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |







| No. | Type of Contract to be Employed  | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE   |       |        |      |                |     |     |     |     |     |     |     | Estimated Budget for the Contract |     |     |     |     |            |  |              |     |     |            |
|-----|--|--|------------|------|--------------------|---|-------|--------|------|----------------|-----|-----|-----|-----|-----|-----|-----|-----------------------------------|-----|-----|-----|-----|------------|--|--------------|-----|-----|------------|
|     |  |  |            |      |                    | J   | F     | M      | A    | M              | J   | J   | A   | S   | O   | N   | D   |                                   |     |     |     |     |            |  |              |     |     |            |
|     | II. Fully Automated Machine/ Analyzer capable of performing the following examinations :   |  |            |      |                    |   |       |        |      |                |     |     |     |     |     |     |     |                                   |     |     |     |     |            |  |              |     |     |            |
|     |  |  |            |      |                    | A. Microbial Identification of microorganisms (gram+) | 1,460 | 300.00 | test | Public Bidding | 129 | 121 | 121 | 121 | 121 | 121 | 121 | 121                               | 121 | 121 | 121 | 121 | 121        |  | 121          | 121 | 121 | 438,000.00 |
|     |  |  |            |      |                    | Microbial Identification of microorganisms (gram -)   | 1,460 | 300.00 | test | Public Bidding | 129 | 121 | 121 | 121 | 121 | 121 | 121 | 121                               | 121 | 121 | 121 | 121 | 121        |  | 121          | 121 | 121 | 121        |
|     | B. Susceptibility testing of microorganisms (gram+ and gram -)   | 1,460                                    | 300.00     | test | Public Bidding     | 129   | 121   | 121    | 121  | 121            | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121                               | 121 | 121 | 121 | 121 | 438,000.00 |  |              |     |     |            |
|     | Susceptibility testing of microorganisms (gram -)  | 1,460                                    | 300.00     | test | Public Bidding     | 129   | 121   | 121    | 121  | 121            | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121                               | 121 | 121 | 121 | 121 | 438,000.00 |  |              |     |     |            |
|     | Offers simplicity workflow, program is based on the CLSI code, reliability, higher level of automation, complete testing menu, test result accuracy<br><br>Principle : Kinetic Reading for review<br><br>With isolation or bacterial detection and gold standard identification capability for organisms.<br><br>• Can operate 24hrs a day<br>• Has an internal and external temperature monitor<br>• Maintains a temperature of 35-37° C<br>• Must be linked to a computer for data management and work list<br>• Should be a 220 volts machine<br>• LIS ready and with Unique Bar Code Identifier<br>• LIS result must be compatible with BIZBOX<br>Uptime rate of 95% or 28.5 days functional<br>• 220 volts , and UPS with 2 hrs. support power system.<br>• Provide a system and materials for quality control<br>• Increased Identification Database<br>• Ability to deduce antibiotics. |  |            |      |                    |   |       |        |      |                |     |     |     |     |     |     |     |                                   |     |     |     |     |            |  | 2,755,750.00 |     |     |            |
|     |  |  |            |      |                    | <b>TOTAL:</b>   |       |        |      |                |     |     |     |     |     |     |     |                                   |     |     |     |     |            |  |              |     |     |            |

| No.                 | Type of Contract to be Employed  | Extent /Size of Contract Scope/ Packages | Unit Price | Unit | Procurement Method | TIME SCHEDULE |   |   |   |   |   |   |   |   |   |   |   | Estimated Budget for the Contract |
|---------------------|--|--|------------|------|--------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
|                     |  |  |            |      |                    | J             | F | M | A | M | J | J | A | S | O | N | D |                                   |
|                     | <b>OTHER REQUIREMENTS :</b> <ul style="list-style-type: none"> <li>• Must have good performance record</li> <li>• Must provide monthly preventive maintenance service for free</li> <li>• Must provide consumables free of charge</li> </ul> Reagents must have at least twelve (12) months expiry date.   |  |            |      |                    |               |   |   |   |   |   |   |   |   |   |   |   |                                   |
|                     | <ul style="list-style-type: none"> <li>- Reagents with shelf life of less than three (3) months : a) must submit certificate from the manufacturers indicating the shelf life of the reagent. b) must submit certificate of Option To Return (OTR), if not consumed within the expiry date.</li> <li>• Must provide 24Hrs. Service and support in case of machine breakdown.</li> <li>• Model of machine must be five (5) years and below in the market, with installation within Metro Manila.</li> </ul> |  |            |      |                    |               |   |   |   |   |   |   |   |   |   |   |   |                                   |
| <b>GRAND TOTAL:</b> |  |  |            |      |                    |               |   |   |   |   |   |   |   |   |   |   |   |                                   |
| 21,883,150.00       |  |  |            |      |                    |               |   |   |   |   |   |   |   |   |   |   |   |                                   |

Prepared By:

  
**JOAQUIN J. NAVARRETTE**  
 Head, BAC - Secretariat

Recommended by:

  
**JOHN A. COLOMA, M.D.**  
 Chairman - Bids and Awards Committee

Approved By:

  
**EMMANUEL F. MONTAÑA, JR., MD., FPCS, FACS, MNA**  
 Medical Center Chief II

1/modified/06/2015